



## Ride Custom Systems Fitting Check List

This comprehensive tools and materials check-list will ensure you have all materials and tools necessary for a successful in-field fitting, including modifications, of a Ride Custom Cushion and/or Back support.

### Ride Custom Cushion:

- Cushion
- Owners manual and warranty information.
- Consumer contract
- Black and silver sharpie pens
- 2 gauges
- Electric knife
- Cat or dog shedding blade for cushion modifications
- 2" hook Velcro to attach cushion to wheelchair.

### Ride Custom Back

- Back support and hardware.
- White wax china marker, silver sharpie, or similar to mark new trim lines on back shell.
- Owners manual and warranty information.
- 10 mm and 13 mm end wrenches.
- 5 mm and 4 mm allen wrenches.
- #2 Phillips screwdriver.
- High quality masking tape
- Jig saw with ~ 10 point per inch wood cutting blade to modify trim lines.
- De-burring tool or a fine metal/wood rasp/file, radius on one side.
- Drill with variety of bits including a 19/64" drill bit.
- Propane torch or a very hot high quality heat gun to heat and flex plastic shells for shape modification.
- Sewing machine for alterations to back support cover if significant reduction of back size is accomplished. Modified inner shells with cover can be returned under the 90 day guaranteed fit program for alterations.

**Note: It is advisable to have a complete set of shape capture tools on-hand should a re-do prove necessary. Please call Ride Customer Service for RA information and instructions for a re-do.**



**Ride Designs®**  
a branch of Aspen Seating, LLC

4211-G South Natches Court  
Sheridan, Colorado 80110

toll-free 866.781.1633  
phone 303.781.1633  
fax 303.781.1722

# Face Sheet



## Ride Custom Systems Face Sheet

(Please fill in one face sheet per client order)

Client First Name / Last Initial \_\_\_\_\_

### Components ordered:

Please attach appropriate order form for each component

- Ride Custom Cushion**
  - Simulator (shape capture) based,  
Simulator number: \_\_\_\_\_
  - Evaluator based
- Ride Custom Back**

Account #: \_\_\_\_\_

PO # \_\_\_\_\_

Date \_\_\_\_\_

### 1. General Information

Supplier \_\_\_\_\_

Contact Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ E-mail \_\_\_\_\_

### Ship To (if different from above)

NOTE: Ride Custom Systems must be fitted by a Ride Certified provider, and WILL NOT be drop shipped to end users.

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone \_\_\_\_\_ E-mail \_\_\_\_\_

### Referral Source

Facility \_\_\_\_\_ Clinician Name \_\_\_\_\_

Phone # \_\_\_\_\_ E-mail \_\_\_\_\_

### 2. Client Information

WARNING: Caution should be exercised when capturing shapes in Ride Simulators for people with osteoporosis, bone cancer, history of pathological fracture, osteogenesis imperfecta, or any brittle bone condition.

First Name/Last Initial \_\_\_\_\_ M F

Diagnosis \_\_\_\_\_ Height \_\_\_\_\_ Weight \_\_\_\_\_

Hip width: \_\_\_\_\_" Leg length: Left \_\_\_\_\_" Right \_\_\_\_\_"

### 3. Mobility Base Specifications

Wheelchair Make \_\_\_\_\_ Model \_\_\_\_\_

Frame Width \_\_\_\_\_" Depth \_\_\_\_\_"

NOTE: Ride Designs does not recommend use of Ride Custom Cushions on wheelchairs with **ERGO FRAMES**.

### 4. Please fill in and attach the appropriate order form for each Ride Custom Component ordered.



**Ride Designs®**  
a branch of Aspen Seating, LLC

4211-G South Natches Court  
Sheridan, Colorado 80110

toll-free 866.781.1633  
phone 303.781.1633  
fax 303.781.1722



**Ride Custom Cushion (Evaluator Based)**

Client First Name / Last Initial \_\_\_\_\_

**NOTE:** This order form must be accompanied by a **Ride Custom Seating Systems Face Sheet**  
Prices effective **March 1, 2009**

**Ride Custom Cushion (Model #: RCC100) Evaluator Based**

Ride Custom Cushion (Model #: RCC100) FOR COMMODE SEAT

**Evaluator Size:**             Small (14" W x 14" D)             Medium (16" W x 16" D)             Large (18" W x 16" D)

**1. Cushion Width** (Actual cushion width will be 1/2" less than specified)


- Standard     14"     15"     16"     17"     18"     19"     20" ..... \$ 1370.00
- Tapered width:    Back width \_\_\_\_\_"    Front width \_\_\_\_\_" ..... \$ 1490.00

**2. Cushion/Wheelchair Interface:**

Ride Custom Cushions generated from a Ride Evaluator assessment come with a mildly radiused bottom. It will work equally well on a tight sling or solid seat. Maximum client weight is 250 pounds. Ride Designs recommends using a solid seat for clients over 200 pounds.

**3. Cushion Length**

**IMPORTANT:** Specify cushion length relative to front of EVALUATOR as shown.



**Equal to EVALUATOR length**..... Standard

**Symmetrical Length**

Add \_\_\_\_\_"     Subtract \_\_\_\_\_" to EVALUATOR length..... No charge

**Asymmetrical Length** ..... \$ 120.00

Left:     Add \_\_\_\_\_"     Subtract \_\_\_\_\_" to EVALUATOR length

Right:     Add \_\_\_\_\_"     Subtract \_\_\_\_\_" to EVALUATOR length

*Measure from front of EVALUATOR to establish cushion length. If you missed this step, then tell us the length you would like the cushion to be down each side:*

Left \_\_\_\_\_"    Right \_\_\_\_\_"

**4. Undercut Front Edge**

1" Undercut ..... \$ 65.00

**5. Were Ride CAM® Wedges Used?** Indicate the number used on each side of Evaluator cushion during assessment. The Ride Custom Cushion will be molded to match the contour created by Ride CAM wedge placement.

No ..... Standard

Yes ..... \$ 140.00

Left:     0     1     2

Right:     0     1     2

**6. Sitting Height**

As evaluated ..... Standard

Increase height:     1/2"     1"     1 1/2"     2" ..... \$ 140.00

