

Ride Designs[®] a branch of Aspen Seating, LLC



toll-free 866.781.1633 phone 303.781.1633 fax 303.781.1722 www.ridedesigns.com

Ride® Custom 2 Cushion and Custom Back

Fields highlighted in red are required.

NOTE: Please r	make sure the client name on the order form n	natches the client nar	e on the purchase order.	
Client's First	and Last Name*			
Sh	Ride Custom 2 Cushion (RCC200) ape provided via: RideWorks® Scan Other		Account #	
□ Sh	Ride Custom Back (RCB200) ape provided via: RideWorks® scan Client measurements and finished produ NOTE: Only available with AccuSoft foam line		Date SO# SN# s on page 3.	
Date of shape *Internal managem	capture:ent of personal information is HIPAA compliant.		-	
General	Information			
Supplier				
Ride Certified	Practitioner Name			
Address				
City		State	Zip	
Phone #	Email			
•	ferent from above) stom Systems must be fitted by a Ride Certifie s.	d Provider. Therefore	we will not drop	
Address				
City		State	Zip	
Phone #	Email			
Referral So	urce			
Facility Name				
Clinician Nam	ne			
Phone #	Email			

Client Information

WARNING: Caution should be exercised when capturing shapes in Ride Simulators for people with osteoporosis, bone cancer, history of pathological fracture, osteogenesis imperfecta, or any brittle bone condition.

Sex:


M F Diagnosis ______

Height _____ Weight _____

Client Measurements

- A. Trochanters _____"
- B. Leg length L ______ " R ______"
- C. Iliac Crest _____"
- D. Mid-Thorax _____"
- E. Axilla _____"
- F. A-P Mid-Thorax _____"

- G. Top of Iliac Crest L_____ " R_____"
- H. Axilla height L_____" R_____"
- I. Top of shoulder L_____" R_____"
- J. Knee to heel _____"
- K. Top of head _____"
- L. A-P abdomen _____"



H F B J

Mobility Base Specifications

Wheelchair Make _____ Model _____ Frame Width _____ " Depth _____ "



Ride® Custom 2 Cushion Order Form

for Ride® Custom Cushions machine-carved from a RideWorks scanned image

Pri	es effective January 8, 2024		
	Item	Part Number	Mfr. Sugg. Retail Price*
	Ride Custom 2 Cushion Includes 2 CAM® Wedges Medicare HCPCS Code E2609	RCC200	\$1782.00
	Ride Custom 2 Cushion with commode opening and solid seat pan without cover	RCC200-C	\$1782.00
Se	at Cushion Shape Capture Process (please cl	heck one)	
	Bead Bag Indicate Shape Capture Base size used: ☐ Small (Blue) ☐ Medium (White) ☐ Large (Red) ☐ None		
	Shape capture base is wedged up" ☐ Front ☐ Rear ☐ Left Side ☐ Right Side		
	Build wedge into cushion per simulationDo not build wedge into cushion	RCC2-WS	\$166.00
	Scan of existing cushion (insert existing cushion measurements below) Length L " R " Rear width " Front width Height at the following corners: Front L " Front R Is the existing cushion used on a sling seat?	" _" RearL	" Rear R'
1.	Photos and Scan Using RideWorks? Use RideWorks app to: Photograph front and both sides of client during shape cap Photograph captured shape. Scan captured shape. Take any and all additional photos that may help. Not using RideWorks? Include: Photograph of front and side view of client during shape cap Photograph of captured shape.		

Page 3

Continue on page 4

2. Foam Options

Item	Part Number	Mfr. Sugg. Retail Price*
☐ Standard Foam (max. weight 250 lbs.)	RCC2-SF	Standard
☐ Firm Foam (max. weight 300 lbs)	RCC2-FF	\$ 125.00
☐ Standard Foam with front cushion reinforcement	RCC2-SF-CR	\$ 296.00
☐ Firm Foam with front cushion reinforcement	RCC2-FF-CR	\$ 445.00

3. Cushion/Wheelchair Interface (Flat bottom for solid seat is standard.)

Item	Part Number	Mfr. Sugg. Retail Price*
☐ Bevel Cut Modification for sling seat	RCC2-BC	\$ 142.00
☐ Drop Seat Modification, 1" drop	RCC2-WC003	\$ 142.00
☐ Custom Mounting Platform ABS platform with indexing tabs to ensure correct placement of cushion on seat (not compatible with bevel cut or drop seat modifications)	RCC2-CMP	\$ 450.00

4. Cushion Width (Actual cushion width will be ½" less than specified.)

Item	Part Number	Mfr. Sugg. Retail Price*
Standard 10" 11" 12" 13" 14" 15" 16" 17" 18" 19" 20"	RCC2 (width)	No charge
Extra large width (Selection of Firm Foam RCC2-FF is strongly recommended) 21" 22" 23" 24" (width)	RCC2-W	\$ 147.00
□ Tapered width Back width" Front width"	RCC2-CWTW	\$ 147.00


NOTE: Pricing for cushions with widths greater than 24" will be individually determined.

5. Cushion Length (IMPORTANT: Specify cushion length relative to front of Shape Capture Base as shown.)

Measure from front of Shape Capture Base to establish cushion length.

Note: Cushion must not exceed wheelchair dimensions by more than 1" in any direction.

ltem	Part Number	Mfr. Sugg. Retail Price
☐ Equal to Shape Capture Base length	RCC2-CLAC	Standard
Symmetrical Length	RCC2-CLSL	No charge
□ Add" to Shape Capture Base length □ Subtract" to Shape Capture Base length		
Asymmetrical Length		\$ 142.00
LEFT □ Equal to Shape Capture Base length □ Add" to Shape Capture Base length □ Subtract" to Shape Capture Base length	RCC2-CLALL	
RIGHT ☐ Equal to Shape Capture Base length ☐ Add" to Shape Capture Base length ☐ Subtract" from Shape Capture Base length	RCC2-CLALR	



Page 4


Continue on page 5

Missed this step? Indicate desired length

of cushion on each side L_____" R_____"

6. Modifications

Item	Part Number	Mfr. Sugg. Retail Price*
☐ 1" undercut	RCC2-UC1	\$ 79.00
☐ Front rigging notches	RCC2-WCFR	\$ 91.00
" W x" D x" H		
☐ Ventilation channel	RCC2-VC	\$ 167.00



Custom ventilation channel helps manage heat and moisture.


7. Sitting Height

Targeted final front cushion height (see diagrams at right)

Height: L leg _____" R leg _____"

NOTE: This final height is not guaranteed. Results are dependent upon the accuracy of the captured shape. Height does not include cover thickness.

Item	Part Number	Mfr. Sugg. Retail Price*
☐ As captured	RCC2-SHAC	Standard
☐ Increase overall height"	RCC2-SHIH	\$ 166.00
☐ As low as possible	RCC2-SHDH	\$ 166.00



For targeted cushion height: at the projected cushion length, measure from the bottom of the shape capture base up to the underside of the leg with the feet properly positioned on the footplate(s).

8. Cushion Contour

Item	Part Number	Mfr. Sugg. Retail Price*
Off-load bony prominences Off-loads bony prominences and enhances loading of areas tolerant of pressure and shear for best skin protection, postural control and microclimate.	RCC2-OBP	Standard
Reticulated foam well insert kit For gentle support to bony prominences and to maintain a high level of microclimate management.	RCC2-WI	\$ 52.00
▲ ONE SIZE: Must be trimmed in field to fit.		
☐ Full contact	RCC2-FC	No charge



Determine targeted front of cushion height (front view).

Cushion manufactured as captured (compromises air flow and microclimate management at bony prominences).

▲WARNING: Full contact is not recommended for users at high risk of skin breakdown.

9. Thigh/Femoral Support

Item		Part Number	Mfr. Sugg. Retail Price*
	Thigh Support If no selection is made, the nigh support will be manufactured as captured.		
	☐ As captured	RCC2-MTAC	Standard
	☐ Eliminate	RCC2-MTE	No charge
	☐ Increase " (maximum 3" total height from bottom of leg troug	h) RCC2-MTI	\$ 126.00
	☐ Decrease"	RCC2-MTD	No charge
	☐ Decrease as marked with line on Shape Capture Bag	RCC2-MTM	No charge
Latera	l Thigh Support		
LEFT	☐ As captured	RCC2-LTAC	Standard
	☐ Eliminate	RCC2-LTEL	No charge
	☐ Increase" (maximum 3" total height from bottom of leg trough) RCC2-LTIL	\$ 126.00
	☐ Decrease"	RCC2-LTDL	No charge
	☐ Decrease as marked with line on Shape Capture Bag	RCC2-LTML	No charge
RIGHT			
	☐ As captured	RCC2-LTAC	Standard
	☐ Eliminate	RCC2-LTER	No charge
	☐ Increase" (maximum 3" total height from bottom of leg trough) RCC2-LTIR	\$ 126.00
	☐ Decrease"	RCC2-LTDR	No charge
	☐ Decrease as marked with line on Shape Capture Bag	RCC2-LTMR	No charge

10. Covers

Item	Part Number	Mfr. Sugg. Retail Price*
☐ One breathable spacer fabric zip cover included		Standard
☐ Spandex layer over spacer fabric	RCC2-SP	\$ 86.00
☐ Two-layer spacer fabric Soft Fit	RCC2-EM2	\$ 156.00
□ Additional breathable spacer fabric zip cover □ Spandex layer over spacer fabric	RCC2-CBZA (width) \$ 226.00 \$ 86.00
☐ Two-layer spacer fabric Soft Fit	RCC2-EM2	\$ 156.00
Outer incontinence resistant cover Note: Only recommended for chronically incontinent clients. Does not replace spacer fabric outer cover.	RCC2-IC	\$ 272.00
☐ Inner incontinence resistant cover Note: Only recommended for chronically incontinent clients.	RCC2-INICA	\$ 272.00

Page 6

Does not replace spacer fabric outer cover.

11. Additional Custom Cushion Accessories/Items

Item	Part Number	Mfr. Sugg. Retail Price*		
☐ 1" / 3cm Cushion Orientation Wedge (These wedges are loose. To order a built-in wedge, please see pg 3.)				
☐ For 14" / 36cm cushion widths	RCC2-0W-1414	\$ 87.00		
☐ For 15" / 38cm and 16" / 41cm cushion width	RCC2-0W-1616	\$ 87.00		
☐ For 17" / 43cm and 18" / 46cm cushion widths	RCC2-0W-1816	\$ 87.00		
\Box For 19" $/$ 48cm and 20" $/$ 51cm cushion widths	RCC2-0W-2016	\$ 87.00		
Wedge to be used: (select one) ☐ Outside cover ☐ Inside cover If inside cover, thick edge of the wedge to be placed: ☐ Back of cushion ☐ Front of cushion ☐ Left side of cushion ☐ Right side of cushion				
☐ Ride CAM® Wedge Kit**	RCC2-WK	\$ 41.00		

12. Growth

Item	Part Number	Mfr. Sugg. Retail Price*
Growth Kit Provides for one growth adjustment, including a new cover, during two year warranty period. Width and/or length, and/or height only. Changes in pelvic alignment and body shape can not be accommodated through growth adjustment. (This	RCC2-DGK	\$ 279.00
option requires shipping cushion to Ride Designs with RA.)	Total:	

We offer a 90 day fit and function guarantee and a two year warranty for all our custom products. Details can be found on our website at www. ridedesigns.com.

peciai ii	ISTRUCTIO	ons or (comme	nts		
IOTE: May aff	ect price; cal	ll to request	quote.			
,		·	·			

^{**} One size fits all. Trim in field for correct fit.



toll-free 866.781.1633 phone 303.781.1633 fax 303.781.1722

www.ridedesigns.com customerservice@ridedesigns.com Page 7

Continue on page 8

^{*} All prices are in U.S. dollars.



Ride® Custom Back (RCB200) Order Form

Using RideWorks® app? Before scanning, on the clear, outer shape capture bag (using a black pedraw trim lines and marks to draw the back as it should be manufactured Arrow pointing upward, indicating top of back Soft relief areas to protect bony prominences Depth and height of the lateral trunk supports		RIDE WORKS
Before transferring client from shape capture	bag, please complete the	following
PHOTOS of client in shape capture bag: ☐ Front view	☐ Side view	
 ☐ Included in RideWorks® client files ☐ Emailed to customerservice@ridedesigns.com, with clien ☐ Attached 	ent name and provider information	DID YOU SEND PHOTOS?
Trim lines; establish and mark on clear, outer shape capture bag: ☐ Back height ☐ Lateral support depth and he	ight □ Iliac crest height	
Using client measurements and final product dimensions 1. Go to page 2 and confirm the following required client measu		vith AccuSoft foam liner.)
 Provide the following desired dimensions of the finished Ride C Finished back height (A)" Finished back width from outside R Lateral to outside NOTE: client using the Ride Custom Back will compress the 1/4" to 3/8" inside each lateral (see illustrated example be 	Custom Back: L Lateral (B)" e foam approximately	A

Importants: Clients who present with significant postural asymmetries and require substantial support to maintain optimal posture will experience the best outcome with a Ride Custom Back made from a captured shape that is scanned and submitted to Ride.

Page 8

Continue on page 9


1. Ride Custom Back Type

	Item	Part Number	Mfr. Sugg. Retail Price*
	Ride Custom Back	RCB200	\$ 2299.00
	Medicare HCPCS Code E2617		
	Custom contoured 3D printed seat back shell;		
	choice of 1) ultra-breathable, 3D mesh liner or		
	2) AccuSoft® foam liner, and removable, washable spacer fabric	cover.	
	Note: if AccuSoft foam liner option is selected,		
	Back comes with choice of removable, washable spacer fabric cov removable, wipeable incontinence-proof cover.	er or	
	removable, wipeable incommence-proof cover.		
	Ride Custom Back, for Commode Back	RCB200-C	\$ 2299.00
_	Includes custom contoured 3D printed seat back	REDZOO C	Q 2277.00
	shell lined with ultra-breathable 3D mesh liner and a		
	·		

2. Ride Custom Back Size

removable, washable cover.

Provide width measurement at widest spot between Axilla (E) and Trochanters (A) ______"



Widest point <20"	RCB2-200R	\$ (0.00
Widest point 21" - 24"	RCB2-200W	\$ 36	5.00

For widths greater than 24," pricing will be individually determined and quoted.

Minimum back height requirements for headrest accessory use

Headrest Type	with Single Hardware	with Double Hardware
None	7"/0.178m	12"/0.330m
Universal Headrest Mounting Plate	11.5"/0.292m	18"/0.457m
Integrated Headrest/ Accessories Mount	9.5"/0.241m	15.5"/0.394m

NOTE: Measure back height from top trimline to bottom trimline.

3. Ride Custom Back Hardware and Mounting

Part Number Mfr. Sugg. Retail Price*

Ride FlexLoc® Hardware

NOTE: Sections a, b, and c MUST have a selection.

a. Select Quantity and Size:

NOTE: Order the hardware size that matches the distance between mounting locations, not necessarily the wheelchair width. Mounting FlexLoc to Permobil® and Quantum® requires small FlexLoc mounting with the Ride FlexLoc Adapter Plate and direct backrest frame for Permobil, and aftermarket back interface for Quantum.

- *WARNING! Two (2) sets of FlexLoc hardware are required if the client presents with any of the following:
 - Weight exceeds 250 pounds
 - Overall back height measurement (as measured to trim lines on cast) is greater than or equal to 28"
 - Severe extensor tone, spasticity, etc.



Ride FlexLoc Hardware on RCB200

	•	e Set of Hardware le Set of Hardware			
_	DOOD	io doi di Halawalo		W2I	RP per set
		Small, mounting distance 10 - 14"	RCB2-FL-MS	\$	590.00
		Medium, mounting distance 15 - 18"	RCB2-FL-MM	\$	590.00
		Large, mounting distance 19 - 21"	RCB2-FL-ML	\$	590.00
		X-Large, mounting distance 22 - 24"	RCB2-FL-MX	\$	590.00
		Omit hardware	RCB2-200R-0	\$	0.00
b.	Select	Mounting:			
		Clamp Mount for round back canes	RCB2-FL-MCI	Sto	ındard
		□ Additional Mounting Clamps (pair) NOTE: If ordering Double FlexLoc mounting hardware, two sets of mounting clamps are included.	RCB2-FL-MC	\$	238.00
		Quickie Sedeo Pro Interface Bracket Mounts RCB200 to Quickie Sedeo Pro Power Seating System NOTE: Not compatible with Quickie Sedeo Pro Advanced. Order small FlexLoc hardware for use with this option. This	RCB2-QSIB	\$	205.00



Adapter Plate

No Charge

☐ FlexLoc Adapter Plate For mounting to wheelchairs without round back canes, e.g. Permobil 3G, Invacare Tilt and Recline, or general surface mounting to existing back pans. This option

replaces Cane Clamps. Order small FlexLoc hardware

option replaces cane clamps.

for use with this option.

c. Select Attachment:

☐ Fixed, non-removeable	RCB2-FL-FMI	Standard
☐ Quick Release Option	RCB2-FL-QR	\$ 97.00

RCB2-FI-MCI-P1

NOTE: The Ride FlexLoc mount can be interfaced with most any wheelchair configuration. Contact Ride Designs for a solution to your mounting challenge.



Quick Release Option

Patents: www.ridedesigns.com/patents

4. Foam Options

Item	Part Number	Mfr. Sugg. Retail Pric
☐ Ultra-breathable 3D mesh liner (Available with scanned shape only)	RCB2-SML	\$ 0.00
☐ AccuSoft foam liner (increases each lateral support thickness by ½" and may result in compromise of postural correction)	RCB2-FS	\$ 171.00
For AccuSoft foam liner option, select one cover:		
☐ Spacer fabric cover	RCB2-SFC	\$ 0.00
 Wipeable, incontinence-proof cover (Available for AccuSoft foam liner option only) 	RCB2-IC	\$ 0.00



Ultra-breathable foam liner

5. Supplementary Padding, Reliefs, Dimensions

ltem	Part Number	Mfr. Sugg. Retail Price
□ Soft Fit (for use with ultra-breathable 3D mesh liner option only) Half-inch thick, breathable, reticulated foam liner for a softer feel. Increases each lateral support thickness by ½" and may result in compromise of postural correction. □ Complete back (including laterals) □ Center only (excludes laterals)	RCB2-SF	\$ 403.00
 □ Enhanced relief Typically used for improved protection and comfort at specific skeletal prominences such as rib humps and spinous processes. ─ Draw desired location(s) and shape of relief on clear, outer shape capture bag, or on cast if not using RideWorks. 	RCB2-ERFP	\$ 354.00
Axillary support pad Typically used for distribution of corrective forces near the axilla on concave side of scoliosis.		
□ Left	RCB2-ASP-L	\$ 207.00
□ Right	RCB2-ASP-R	\$ 207.00
Extended depth lateral thoracic support		
□ Extend LEFT lateral thoracic support" forward of reference line.	RCB2-EDLTS-L	\$ 344.00
 □ Extend RIGHT lateral thoracic support" forward of reference line. — Mark reference line(s) on clear, outer shape capture bag, or on cast if not using RideWorks. 	RCB2-EDLTS-R	\$ 344.00
Extended height lateral thoracic support		
☐ Increase LEFT lateral thoracic support" above reference line.	RCB2-EHLTS-L	\$ 226.00
☐ Increase RIGHT lateral thoracic support" above reference line.	RCB2-EHLTS-R	\$ 226.00
xtended back height Extend back height" above reference line. Mark reference line(s) on clear, outer shape capture	RCB2-EBH	\$ 344.00
bag, or on cast if not using RideWorks.		
□ Reinforced lateral thoracic supports Note: No longer required for laterals over 6" deep. It is not possible to modify the width of lateral sup on the RCB200 by bending or flaring the lateral support reinforcement. Width modifications must be do		\$ 450.00 nell.
☐ Vertical back reinforcement	RCB2-RBS	\$ 332.00



AccuSoft foam liner

PHOTOS??JUST CHECKING.

Page 11

Continue on page 12 © 2024, Ride Designs. 090-154-R Patents: www.ridedesigns.com/patents

Client First and Last Name __

6. Accessories

Item	Part Number	Mfr. Sugg. Retail Price*
Universal headrest mounting plate, installed Note: Will be installed midline, top of back, unless otherwise marked on clear, outer shape capture bag, or on cast if not using RideWorks.	RCB2-UHMP	\$ 191.00
☐ Integrated headrest/accessories mount Note: May be mounted to FlexLoc vertical track if back height is not sufficient for an integrated mount.	RCB2-AM	\$ 284.00
☐ Shoulder harness guides, pair, loose	RCB2-SHG	\$ 115.00
Shoulder harness guides, pair, installed Note: Mark location on clear, outer shape capture bag, or on cast if not using RideWorks.	RCB2-SHGI	\$ 196.00
Privacy flap Covers gap between cushion and back support.		
Size		
☐ Small — fits wheelchair widths less than 14"	RCB2-PFS	\$ 155.00
☐ Medium — fits wheelchair widths 15 - 17"	RCB2-PFM	\$ 155.00
☐ Large — fits wheelchair widths 18" and larger	RCB2-PFL	\$ 155.00
Abdominal support panel Instructions:		
 Before removing client from back shape capture bag, mark heigh outer bag. 	nt of each ASIS on cle	ar,
2. Measure up from this mark to establish desired height of abdomin	nal panel needed.	
3. Ride Designs will install the abdominal panel for you to meet thes	se specifications.	
Size		
☐ Small — height 4" (two straps)	RCB2-AP-4	\$ 408.00
Measurement around abdomen"		



Universal Headrest Mounting Plate.



Integrated Headrest/Accessories Mount with Shoulder Harness Guides and headrest mount installed.



Privacy flap covers the space between the cushion and back support.

7. Covers

☐ Medium — height 6" (three straps)

☐ Large — height 8" (three straps)

Measurement around abdomen ___

can not be accommodated through growth adjustment.

Measurement around abdomen _____

Item	Part Number	Mfr. Sugg. Retail Price*
☐ Additional breathable cover	RCB2-SFCA	\$ 384.00
lacksquare Additional wipeable, incontinence-proof cover	RCB2-ICA	\$ 384.00

8. Growth

 * All prices are in U.S. dollars.

Item	Part Number	Mfr. Sugg. Retail Price*
☐ Growth Kit	RCB2-DGK	\$ 512.00
Provides for one growth adjustment, including a new		
cover, during two year warranty period. Width and/or		
height only. Changes in spinal alignment and body shape		



Abdominal Support Panel.

Total: _____

\$ 408.00

\$ 408.00

Page 12

RCB2-AP-6

RCB2-AP-8

Special Instructions or Comments	
NOTE: May affect price; call to request quote.	We offer a 90 day fit and function guarantee and a two year warranty for all our custom products. Details can be found on our website at www.ridedesigns.com.
	
	_
	_



THEY MUST BE HERE SOMEWHERE.

