



Ride® Custom Systems Face Sheet :~) Bundled Package Order Form

Client's First and Last No	client order. NOTE: P.O. name and Ord	er name need to match.	
	m for each component ordered.		
Ride Custom 2 C Shape provided via RideWorks Impression Evaluator	ushion (RCC200) : s® Scan n Foam	PO #	SO#
□ Ride Custom Acc Shape provided via □ RideWork: □ Impressior □ Evaluator	s Scan n Foam	SN#	
□ Ride Custom Bac Shape provided via □ RideWork: □ Plaster Ca	: s Scan		
Date of shape capture:			
*Internal management of persona	l information is HIPAA compliant.		
	State		•
•	Sidie	•	
Ship to (if different from abo			•
• •	st be fitted by a Ride Certified Provider of	and WILL NOT be drop shipped	
4 1 1			
Address			
City	State		
City			
City	State		
CityPhone # Referral Source Facility Name	State Email		
CityPhone # Referral Source Facility Name Clinician Name	State Email		


Client Information

WARNING: Caution should be exercised when capturing shapes in Ride Simulators for people with osteoporosis, bone cancer, history of pathological fracture, osteogenesis imperfecta, or any brittle bone condition.

Sex: □ M □ F Diagnosis ______ Height _____ Weight _____


Client Measurements

A. Trochanters		F. A-P Mid-Thorax _	"
B. Leg length	Left" Right"	G. Top of Iliac Crest _	"
C. Waist		H. Axilla height _	"
D. Mid-Thorax		I. Top of shoulder _	"
E. Axilla		J. Knee to heel _	"




Mobility Base Specifications

Wheelchair Make				Model
Frame Width	ıı.	Depth	"	





toll-free 866.781.1633 phone 303.781.1633 fax 303.781.1722 www.ridedesigns.com





Ride® Custom AccuSoft™ Cushion Bundled Package Order Form

	Item	Part Number	Mfr. Sugg. Retail Price*	
_	Ride Custom AccuSoft Cushion Soft - Bundled Medicare HCPCS Code E2609 Select outer covers: Outer breathable spacer fabric zip cover	RCAC-S-B01	\$2655.00	NOTE: Every cushion comes standard with an inner moisture-resistant cover.
_	Outer wipeable incontinence-resistant cover	RCAC-IC		
_	Ride Custom AccuSoft Cushion Extra Soft - Bundled Medicare HCPCS Code E2609 Select outer covers: [†]	RCAC-XS-B01	\$2655.00	
	☐ Outer breathable spacer fabric zip cover	RCAC-CBZ		
	☐ Outer wipeable incontinence-resistant cover	RCAC-IC		
5 ł	nape Capture Process (please check one)			
	Bead Bag Indicate Shape Capture Base size used: Small (Blue) Medium (White) Large (Red) None			
	Impression Foam Simulator Size: Small Medium Large If impression foam is sent to Ride Designs, a RideWorks scanning fee will apply.			
_	□ RideWorks Scanning Fee (price not included in bundled package) Scan of existing cushion (insert existing cushion measurements below) Length L " R " Rear width " Fror Height at the following corners: Front L " Fro	RCC-FEE nt width" nt R	\$ 275.00	п
	Is the existing cushion used on a sling seat? Test			
	Java® Cushion used to determine shape and dimensions		~ \	

Page 3

Continue on page 4

 $^{^{\}ast}$ All prices are in U.S. dollars.

[†] Select one or both.

Ride® Custom AccuSoft™ Cushion Bundled Package Order Form Client First and Last Name How to use a Java® Cushion to evaluate
Custom AccuSoft Cushion specifications
Step 1 Sit client on an appropriately-sized Java Cushion. Size used: Width" Length"
Step 2 Determine targeted cushion width in 1" increments. □ Record targeted width in section 3 of the cushion order form.
 Step 3 Determine targeted cushion length relative to the front of the Java Evaluator Cushion. Measure from the front of the Java Cushion to establish cushion length. □ Record targeted cushion length is section 4 of the cushion order form.
 Determine if additional lateral pelvic control is needed, adding Ride CAM Wedges to achieve this. Indicate where, and how many, Wedges were used. The Ride Custom AccuSoft Cushion will be carved to match the contour created by Ride CAM Wedge placement. No Wedges used Wedges used on left side 0 1 2 Wedges used on right side 0 1 2
Step 5 Determine targeted sitting height and record in section 5 of the cushion order form. Note: the height of the Java Cushion base and foam topper is as low as the Custom AccuSoft Cushion can be made.
Determine whether wedges are needed under the Java Cushion during evaluation to achieve the desired position for correction or accommodation of pelvic/femoral asymmetries. Record the usage of wedges here and record the targeted height in all four corners. Lateral height can be increased up to 2" from the top of the Java Evaluator Cushion. Note: If more than 2" of additional lateral height is needed, please utilize Ride shape capture tools to capture and scan the shape. Wedges used: Front Back Left Side Right Side Cushion height at corners: Front Right " Rear Right " Rear Left "
Step 7 Determine if additional medial and/or lateral thigh support is necessary in section 7 of the cushion order form. Lateral height can be increased by up to 2" from the top of the Java Cushion, in 1" increments

Step 8

Complete the remainder of the order form and email, along with photos of the client in the Java Evaluator Cushion, to: customerservice@ridedesigns.com.

Note: If more than 2" of additional lateral height is needed, please utilize Ride shape

capture tools to capture and scan the shape.

Page 4

Proceed to Page 5 if a scanned shape is being submitted.

RCC-UC1

RCC-WCFR

of cushion on each side L_____" R_

_____" W x _____" D x _____" H

☐ Undercut Front Edge 1"

☐ Front rigging notches

Page 5

Sitting Height


Targeted final front cushion height (see diagrams at right)

Height: L leg _____" R leg _____"
NOTE: This final height is not guaranteed. Results are dependent upon the accuracy of the captured shape. Height does not include cover thickness.

Item	Part Number
☐ As captured	RCC-SHAC
☐ Increase overall height"	RCC-SHIH
☐ As low as possible	RCC-SHDH

Cushion Contour

Item	Part Number
NOTE: The Custom AccuSoft Cushion is not a fully off-loading cushion. For highest level of skin protection, we recommend the Ride Custom 2 Cushion.	
□ Ride contour Cushion is manufactured with Ride's patented mechanism of support which reduces forces at high risk areas and provides slightly greater forces at low risk areas NOTE: Ride contour is not available with Extra Soft Foam option.	RCAC-RC
☐ Full contact Cushion manufactured as captured	RCC-FC



For targeted cushion height: at the projected cushion length, measure from the bottom of the shape capture base or Java Evaluator Cushion up to the underside of the leg with the feet properly positioned on the footplate(s).



Determine targeted front of cushion height (front view).

Thigh/Femoral Support

Item		Part Number
	I Thigh Support If no selection is made, the thigh support will be manufactured as captured.	
	□ As captured	RCC-MTAC
	☐ Eliminate	RCC-MTE
	☐ Increase" (maximum 3" total height)	RCC-MTI
	☐ Decrease"	RCC-MTD
	☐ Decrease as marked with line on Shape Capture Bag	RCC-MTM
Latera	ll Thigh Support	
LEFT		
	☐ As captured	RCC-LTAC
	☐ Eliminate	RCC-LTEL
	☐ Increase" (maximum 3" total height)	RCC-LTIL
	☐ Decrease"	RCC-LTDL
	☐ Decrease as marked with line on Shape Capture Bag	RCC-LTML
RIGHT		
	☐ As captured	RCC-LTAC
	□ Eliminate	RCC-LTER
	☐ Increase" (maximum 3" total height)	RCC-LTIR
	Decrease"	RCC-LTDR
	☐ Decrease as marked with line on Shape Capture Bag	RCC-LTMR
□ Later Boos	ral Thigh Support Reinforcement ts structural integrity while using forgiving materials that	RCAC-RL

help reduce the risk of injury to skin and soft tissue. (Includes

right and left sides.)



The Lateral Thigh Support Reinforcement option removes 1/2" of cushion foam from each lateral thigh support. Reinforcement material replaces the foam that was removed, without increasing the overall width of the cushion.

Page 6

Continue on page 7

Cover Modifications		
Item	Part Number	
☐ For the outer breathable spacer fabric zip cover installed on cushion (if selected)		
☐ Spandex layer over spacer fabric	RCAC-SP	

RCAC-EM2

Custom AccuSoft Accessories

☐ Two-layer spacer fabric Soft Fit

Item	Part Number
☐ Ride CAM® Wedge Kit**	RCC-WK
□ 1" / 3cm Cushion Orientation Wedge	
☐ For 14" / 36cm cushion widths	OW-1414
\square For 15" $/$ 38cm and 16" $/$ 41cm cushion width	OW-1616
\Box For 17" $/$ 43cm and 18" $/$ 46cm cushion widths	OW-1816
\Box For 19" $/$ 48cm and 20" $/$ 51cm cushion widths	OW-2016

Wedge to be used: (select one)

- ☐ Outside cover
- ☐ Inside cover

If inside cover, thick edge of the wedge to be placed:

- ☐ Back of cushion
- ☐ Front of cushion
- ☐ Left side of cushion
- ☐ Right side of cushion

Cushion/Wheelchair Interface Modifications

Item	Part Number
☐ Bevel-Cut Modification for sling seat	RCC-BC

Additional Options

Price not included in bundled package

Additional Cushion/Wheelchair Interface Options

Item	Part Number	Mfr. Sugg. Retail Price*
☐ Drop Seat Modification, 1" drop	RCC-WC003	\$ 128.00
☐ Custom Mounting Platform (not compatible with bevel cut modification or drop seat modification)	RCC-CMP	\$ 406.00
ABS platform with indexing tabs to ensure correct placement of cushion on seat		

Additional Cover Options

Item	Part Number Mfr. S	Sugg. Retail Price*
☐ Additional breathable spacer fabric fabric zip cover	RCAC-CBZA (width)	\$ 203.00
☐ Spandex layer over spacer fabric	RCAC-SP	\$ 76.00**
☐ Two-layer spacer fabric Soft Fit	RCAC-EM2	\$ 140.00**
☐ Additional outer incontinent-resistant cover Note: Only recommended for chronically incontinent clients. Does not replace inner, moisture-resistant cover.	RCAC-ICA	\$ 246.00
☐ Additional inner incontinent-resistant cover	RCC-INICA	\$ 246.00

Growth

İtem	Part Number	Mfr. Sugg. Retail Price*
Growth Kit Provides for one growth adjustment, including a new cover, during two year warranty period. Width and/or length, and/or height only. Changes in pelvic alignment and body shape can not be accommodated through growth adjustment. (This option requires shipping cushion to Ride Designs with RA.)	RCC-DGK	\$ 251.00

We offer a 90 day fit and function guarantee and a two year warranty for all our custom products. Details can be found on our website at www.ridedesigns.com.

Total:	
--------	--

Page 8

^{*} All prices are in U.S. dollars.

Pair the Ride Custom AccuSoft Cushion with a Ride Custom Back Support for optimal seating

Consider Ride Designs' lightweight, thin-profile, and adjustable Custom Back support for the widest range of seating needs.

Breathable

Choice of Brock® Composite liner material or ultra-breathable 3D mesh liner material, along with the spacer fabric cover, help keep the sitter dry and comfortable in virtually any climate.

Forgiving

An optional soft, open-cell polyurethane foam insert is available as an alternative to the firm, breathable composite foam or 3D mesh liners.

Protection and comfort

Supplementary padding and reliefs improve protection and comfort at sensitive areas.

Easy to clean and adjust

Removable and ventilated inner shell eases cleaning, maintenance, and adjustments.

Mounting options

Strong ventilated outer shell provides stability and surfaces for easy mounting of hardware and accessories.

Growable

Like the Ride Custom AccuSoft Cushion, the Back can be grown at a fraction of the cost of a new custom system.

More information at www.ridedesigns.com



Ride Custom Back paired with the Ride Custom AccuSoft Cushion.

